

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A CALIFORNIA COMPLIANCE CERTIFICATE.

PRODUCED: MAR 25, 2021

SAMPLE: 500MG F/S RELIEF SALVE (TOPICAL) // CLIENT: TERP SCIENCE // BATCH: PASS



BATCH NO.: 2693
 MATRIX: TOPICAL
 CATEGORY: OTHER
 SAMPLE ID: BCL-210319-161
 COLLECTED ON: MAR 19, 2021
 RECEIVED ON: MAR 19, 2021
 BATCH SIZE: 1 UNITS
 SAMPLE SIZE: 1 UNITS
 PACKAGE SIZE: 28 G
 SERVING SIZE: 28 G

CANNABINOID OVERVIEW

Δ^9 -THC PER SERVING:	12.83 mg
CBD PER SERVING:	519.83 mg
TOTAL CANNABINOIDS:	563.81 mg



POTENCY
PASS

BCL-03: CANNABINOID POTENCY BY HPLC-UV // MAR 23, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.07609 %	0.7609 mg/g	0.00107/0.02441	N/A
CBCA	ND	ND	0.00308/0.02441	N/A
CBD	1.85652 %	18.5652 mg/g	0.00151/0.02441	N/A
CBDA	0.00586 %	0.0586 mg/g	0.00078/0.02441	N/A
CBDV	0.00575 %	0.0575 mg/g	0.00117/0.02441	N/A
CBDVA	ND	ND	0.00078/0.02441	N/A
CBG	0.01495 %	0.1495 mg/g	0.00142/0.02441	N/A
CBGA	ND	ND	0.00098/0.02441	N/A
CBN	0.00862 %	0.0862 mg/g	0.00078/0.02441	N/A
Δ^8 -THC	ND	ND	0.00283/0.02441	N/A
Δ^9 -THC	0.04581 %	0.4581 mg/g	0.00205/0.02441	N/A
THCA	ND	ND	0.00146/0.02441	N/A
THCV	ND	ND	0.00161/0.02441	N/A
THCVA	ND	ND	0.00112/0.02441	N/A
TOT THC **	0.04581 %	0.4581 mg/g		N/A
TOT CBD **	1.86166 %	18.6166 mg/g		N/A
CBD/SRV	519.83 mg			N/A
Δ^9 -THC/SRV	12.83 mg			N/A
CBD/PKG	519.83 mg			N/A
Δ^9 -THC/PKG	12.83 mg			PASS

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD

TERPENOID TESTING BY HS-GC/FID

ANALYTE	AMT	AMT	LOD/LOQ ()	PASS/FAIL
TOTAL TERPENES	ND	ND		N/A
α -PINENE	NT	NT		N/A
CAMPHENE	NT	NT		N/A
β -PINENE	NT	NT		N/A
β -MYRCENE	NT	NT		N/A
Δ^3 -CARENE	NT	NT		N/A
α -TERPINENE	NT	NT		N/A
D-LIMONENE	NT	NT		N/A
P-CYMENE	NT	NT		N/A
α -OCIMENE	NT	NT		N/A
β -OCIMENE	NT	NT		N/A
γ -TERPINENE	NT	NT		N/A
TERPINOLENE	NT	NT		N/A
LINALOOL	NT	NT		N/A
ISOPULEGOL	NT	NT		N/A
GERANIOL	NT	NT		N/A
β -CARYOPHYLLENE	NT	NT		N/A
α -HUMULENE	NT	NT		N/A
CIS-NEROLIDOL	NT	NT		N/A
TRANS-NEROLIDOL	NT	NT		N/A
GUAIOL	NT	NT		N/A
α -BISABOLOL	NT	NT		N/A
1,8-CINEOLE *	NT	NT		N/A

* BEYOND SCOPE OF ACCREDITATION



RESULTS CERTIFIED BY: RON BROOKS, M.S.
 LABORATORY DIRECTOR, BELCOSTA LABS
 MAR 25, 2021

